

Because every result matters™

Strep A Extraction Reagent (Ampule)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Issue date: 10/13/2014 Revision date: 07/31/2020 Supersedes: 10/13/2014 Version: 2.0

SECTION 1: Identification

1.1. Identification

Product form : Mixture

Product name : Strep A Extraction Reagent (Ampule)

Product code : 147

1.2. Recommended use and restrictions on use

Use of the substance/mixture : in vitro diagnostics

Restrictions on use : Restricted to professional users

1.3. Supplier

Sekisui Diagnostics, LLC

6659 Top Gun Street, San Diego, CA 92121, USA

Tel. +1-858-777-2600

Sekisui Diagnostics P.E.I. Inc.

70 Watts Avenue, Charlottetown Prince Edward Island, C1E 2B9 Canada

Tel. 800-565-0265

Sekisui Diagnostics (UK) Limited

Liphook Way, Allington, Maidstone, Kent ME16 0LQ

Tel. +44 (0) 1622 607800 www.sekisuidiagnostics.com

Contact person: info@sekisuidiagnostics.com

1.4. Emergency telephone number

Emergency number : Americas 1-760-476-3962

Europe, Middle East & Africa +1-760-476-3961

Asia Pacific +1-760-476-3960 Access code 333512

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Skin corrosion/irritation Category 2 H315 Causes skin irritation
Serious eye damage/eye irritation Category 2A H319 Causes serious eye irritation

Full text of H statements : see section 16

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US) :



Signal word (GHS US) : Warning

Hazard statements (GHS US) : H315 - Causes skin irritation

H319 - Causes serious eye irritation

Precautionary statements (GHS US) : P264 - Wash hands, forearms and face thoroughly after handling.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 - If on skin: Wash with plenty of water.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P321 - Specific treatment (see supplemental first aid instruction on this label).

P332+P313 - If skin irritation occurs: Get medical advice/attention. P337+P313 - If eye irritation persists: Get medical advice/attention. P362+P364 - Take off contaminated clothing and wash it before reuse.

2.3. Other hazards which do not result in classification

No additional information available

12/29/2020 EN (English US) Page 1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS US classification
Acetic acid	(CAS No) 64-19-7	1-5	Flam. Liq. 3, H226 Skin Corr. 1A, H314

Full text of hazard classes and H-statements: see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get

medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after skin contact : Irritation.

Symptoms/effects after eye contact : Irritation to eyes.

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Specific hazards arising from the chemical

Hazardous decomposition products in case of : Toxic fumes may be released.

tire

5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Exercise caution. Spill area may be slippery. Avoid contact with skin and eyes.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

12/29/2020 EN (English US) 2/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal

protective equipment.

Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product.

Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Strep A Extraction Reagent (Ampule)		
No additional information available		
Acetic acid (64-19-7)		
USA - ACGIH - Occupational Exposure Limits		
Local name	Acetic acid	
ACGIH TWA (ppm)	10 ppm	
ACGIH STEL (ppm)	15 ppm	
Remark (ACGIH)	TLV® Basis: URT & eye irr; pulm func	
Regulatory reference	ACGIH 2020	
USA - OSHA - Occupational Exposure Limits		
Local name	Acetic acid	
OSHA PEL (TWA) (mg/m³)	25 mg/m³	
OSHA PEL (TWA) (ppm)	10 ppm	
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1	

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Protective gloves

Туре	Material	Permeation	Thickness (mm)	Penetration
Disposable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	0.11	

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment.

Personal protective equipment symbol(s):





12/29/2020 EN (English US) 3/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state : Liquid Appearance : Clear. Colorless. Color

Odor : No data available Odor threshold No data available рΗ : No data available

pH solution : 2.6

Melting point Not applicable Freezing point : No data available : No data available Boiling point Flash point No data available Relative evaporation rate (butyl acetate=1) : No data available Flammability (solid, gas) : Not applicable. : No data available Vapor pressure Relative vapor density at 20 °C : No data available Relative density : No data available

Solubility : Soluble.

Partition coefficient n-octanol/water (Log Pow) : No data available Auto-ignition temperature : No data available Decomposition temperature : No data available Viscosity, kinematic : No data available Viscosity, dynamic : No data available **Explosion limits** : No data available Explosive properties : Product is not explosive.

Oxidizing properties : Not oxidising.

Other information

No additional information available

SECTION 10: Stability and reactivity

Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

Chemical stability

Stable under normal conditions.

Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified Acute toxicity (dermal) : Not classified Acute toxicity (inhalation) : Not classified

Acetic acid (64-19-7)	
LD50 oral rat	3310 mg/kg body weight

12/29/2020 EN (English US) 4/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Acetic acid (64-19-7)	Acetic acid (64-19-7)		
LC50 Inhalation - Rat	11.4 mg/l (OECD 403, 4 h)		
ATE US (oral)	3310 mg/kg body weight		
ATE US (vapors)	11.4 mg/l/4h		
ATE US (dust, mist)	11.4 mg/l/4h		
Skin corrosion/irritation	: Causes skin irritation.		
Serious eye damage/irritation	: Causes serious eye irritation.		
Respiratory or skin sensitization	: Not classified		
Germ cell mutagenicity	: Not classified		
Carcinogenicity	: Not classified		
Reproductive toxicity	: Not classified		
STOT-single exposure	: Not classified		

Acetic acid (64-19-7)	Acetic acid (64-19-7)	
NOAEL (oral,rat,90 days)	290 mg/kg body weight	
Aspiration hazard	: Not classified	
Viscosity, kinematic	: No data available	
Symptoms/effects after skin contact	: Irritation.	
Symptoms/effects after eye contact	: Irritation to eyes.	

: Not classified

SECTION 12: Ecological information

12.1. Toxicity

STOT-repeated exposure

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

Acetic acid (64-19-7)	
LC50 fish 1	> 1000 mg/l Oncorhynchus mykiss (Salmo gairdneri)
EC50 Daphnia 1	> 1000 mg/l Daphnia magna
LC50 fish 2	> 300.82 mg/l Oncorhynchus mykiss (Salmo gairdneri)
EC50 Daphnia 2	> 300.82 mg/l Daphnia magna

12.2. Persistence and degradability

Acetic acid (64-19-7)		
Persistence and degradability	Readily biodegradable in the soil. Readily biodegradable in water.	
Biochemical oxygen demand (BOD)	0.6 – 0.74 g O ₂ /g substance	
Chemical oxygen demand (COD)	1.03 g O₂/g substance	
ThOD	1.07 g O₂/g substance	

12.3. Bioaccumulative potential

Acetic acid (64-19-7)	
BCF fish 1 3.16	
Partition coefficient n-octanol/water (Log Pow)	-0.17 (25 °C)
Bioaccumulative potential	Not bioaccumulative.

12.4. Mobility in soil

Acetic acid (64-19-7)		
Surface tension	26.3 mN/m (30 °C)	
Ecology - soil	Highly mobile in soil. May be harmful to plant growth, blooming and fruit formation.	

12.5. Other adverse effects

No additional information available

12/29/2020 EN (English US) 5/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Not applicable

Transportation of Dangerous Goods

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

Acetic acid (64-19-7)	
CERCLA RQ 5000 lb	

15.2. International regulations

CANADA

Acetic acid (64-19-7)

Listed on the Canadian DSL (Domestic Substances List) inventory.

EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:		
Reference code	Applicable	Entry title or description
3(a)	Acetic acid	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F
3(b)	Strep A Extraction Reagent (Ampule) ; Acetic acid	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10
40.	Acetic acid	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.

Contains no REACH candidate substance

Contains no REACH Annex XIV substances.

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance(s) subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

National regulations

No additional information available

12/29/2020 EN (English US) 6/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

15.3. US State regulations

Component	State or local regulations
Acetic acid(64-19-7)	U.S Delaware - Pollutant Discharge Requirements - Reportable Quantities; U.S. – New York City – Right to Know Hazardous Substances List

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date : 07/31/2020

Full text of H-phrases:

H226	Flammable liquid and vapor	
H314	Causes severe skin burns and eye damage	
H315	Causes skin irritation	
H319	Causes serious eye irritation	


NFPA health hazard

1 - Materials that, under emergency conditions, can cause significant irritation.

NFPA fire hazard

2 0 - Materials that will not burn under typical fire conditions, including intrinsically noncombustible materials such as concrete, stone, and sand.

under fire conditions.



Hazard Rating

NFPA reactivity

Health : 1 Slight Hazard - Irritation or minor reversible injury possible

Flammability : 0 Minimal Hazard - Materials that will not burn

Physical : 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT

0 - Material that in themselves are normally stable, even

react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

Personal protection : E

B - Safety glasses, Gloves

Indication of changes:

Section	Changed item	Change	Comments
3	Composition/Information on ingredients	Modified	

SDS US (GHS HazCom 2012)

The information above is provided in good faith. It is believed to be accurate and represents the best information currently available to us. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABLITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER TYPE, EXPRESSED OR IMPLIED, WITH RESPECT TO PRODUCTS DESCRIBED OR DATA OR INFORMATION PROVIDED, AND WE ASSUME NO LIABILITY RESULTING FROM THE USE OF SUCH PRODUCTS, DATA OR INFORMATION. Users should make their own investigations to determine the suitability of the information for their particular purposes, and the user assumes all risk arising from their use of the material. The user is required to comply with all laws and regulations relating to the purchase, use, storage and disposal of the material, and must be familiar with and follow generally accepted safe handling procedures. In no event shall Sekisui Diagnostics be liable for any claims, losses, or damages of any individual or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Sekisui Diagnostics has been advised of the possibility of such damages.

12/29/2020 EN (English US) 7/7