

January 11, 2023

Dear Valued Customer,

The following is an update on the expiration date for the QuickVue® At-Home OTC COVID-19 Test.

The QuickVue® At-Home OTC COVID-19 test has been granted FDA authorization to extend expiration dating from 12-months to 16-months. A copy of the letter is available through the following link: <https://www.fda.gov/media/161862/download>. Please note the expiration dates on the outer kit box may not reflect the 16-month dating for product that is already distributed.

Please refer to the attached list of lot numbers to verify if the expiration date for a particular lot of the 25-test kit, part number 20398, has been extended. If you wish to verify the date extension for the 2 (two) test kits, please go to the FDA website per the directions provided below:

- Go to the FDA Webpage: **<https://www.fda.gov/medical-devices/coronavirus-covid-19-and-medical-devices/home-otc-covid-19-diagnostic-tests#list>**
- Scroll down to the Search box above the list of products shown and type "Quidel" into the search box to access the Quidel product and list of lot numbers with updated expiration dating.
- This list will be shown in a link under the Expiration Date column. You will require the lot number on your test kit box.

We cannot provide assurance that any additional extension requests to the FDA will be authorized, but we expect to publish a customer notification if or when FDA authorizes additional date extension requests. Until such time, the current extended expiration date of the QuickVue® At-Home OTC COVID-19 test kits is 16-months for identified lot numbers, and the tests should not be used beyond this dating. Furthermore, the information in this letter is only current as of the date of this letter, and we do not undertake any obligation to update you on any change in the information in this letter, as a result of new developments or otherwise.

We hope this information is helpful with your ordering decisions and look forward to addressing any questions you may have. Your business is important to us, and we look forward to our ongoing partnership. If you have any questions or we can provide further information please reach out to your local Quidel representative or contact the Quidel Customer Service team at 800.874.1517 Monday to Friday, 8:00 a.m. to 8:00 p.m. EST.

Sincerely,



Maleeha Mahmud
Sr. Director, Customer Experience



Kit Lot Number	Kit Printed DOM	Kit Printed Expiration Date	New Kit Expiration Date	Duration Extended
707426	2022-01-17	2022-12-29	2023-04-29	4
707427	2022-01-17	2023-01-03	2023-05-03	4
707442	2022-01-20	2023-01-06	2023-05-06	4
707443	2022-01-20	2023-01-06	2023-05-06	4
707444	2022-01-21	2023-01-07	2023-05-07	4
707446	2022-01-22	2023-01-04	2023-05-04	4
707453	2022-01-24	2023-01-06	2023-05-06	4
707460	2022-01-26	2023-01-06	2023-05-06	4
707461	2022-01-27	2023-01-04	2023-05-04	4
707464	2022-01-27	2023-01-14	2023-05-14	4
707613	2022-03-07	2023-02-20	2023-06-20	4
707614	2022-03-07	2023-02-18	2023-06-18	4
707615	2022-03-07	2023-02-19	2023-06-19	4
707616	2022-03-08	2023-02-20	2023-06-20	4
707631	2022-03-09	2023-02-26	2023-06-26	4
707632	2022-03-09	2023-02-27	2023-06-27	4
707656	2022-03-18	2023-02-25	2023-06-25	4
707657	2022-03-22	2023-03-02	2023-07-02	4
707658	2022-03-16	2023-03-03	2023-07-03	4
707659	2022-03-22	2023-03-02	2023-07-02	4
707660	2022-03-22	2023-03-10	2023-07-10	4
707661	2022-03-24	2023-03-10	2023-07-10	4
707690	2022-03-29	2023-03-12	2023-07-12	4
707700	2022-03-31	2023-03-11	2023-07-11	4
707739	2022-04-07	2023-03-19	2023-07-19	4
707740	2022-04-07	2023-03-18	2023-07-18	4
707785	2022-05-03	2023-03-18	2023-07-18	4
707786	2022-05-03	2023-03-24	2023-07-24	4
707787	2022-05-04	2023-03-25	2023-07-25	4
707788	2022-05-04	2023-03-28	2023-07-28	4
707789	2022-05-05	2023-03-28	2023-07-28	4
707790	2022-05-05	2023-03-31	2023-07-31	4
707791	2022-05-05	2023-03-30	2023-07-30	4
707792	2022-05-06	2023-03-30	2023-07-30	4
707793	2022-05-06	2023-04-01	2023-08-01	4
707796	2022-05-07	2023-03-19	2023-07-19	4
707797	2022-05-07	2023-03-21	2023-07-21	4
707798	2022-05-07	2023-04-27	2023-08-27	4
707799	2022-05-09	2023-04-26	2023-08-26	4
707800	2022-05-09	2023-04-25	2023-08-25	4
707801	2022-05-09	2023-04-26	2023-08-26	4
707802	2022-05-10	2023-04-26	2023-08-26	4
707803	2022-05-10	2023-04-27	2023-08-27	4
707804	2022-05-10	2023-04-28	2023-08-28	4
707805	2022-05-10	2023-04-27	2023-08-27	4
707806	2022-05-10	2023-04-28	2023-08-28	4
707807	2022-05-11	2023-04-25	2023-08-25	4
707808	2022-05-11	2023-04-27	2023-08-27	4
707809	2022-05-11	2023-04-28	2023-08-28	4
707810	5/11/2022	2023-04-30	2023-08-30	4
707811	2022-05-12	4/30/2023	2023-08-30	4
707812	5/12/2022	2023-04-29	2023-08-29	4
707813	5/12/2022	4/29/2023	2023-08-29	4
707814	5/12/2022	4/29/2023	2023-08-29	4
707815	5/12/2022	4/29/2023	2023-08-29	4



Kit Lot Number	Kit Printed DOM	Kit Printed Expiration Date	New Kit Expiration Date	Duration Extended
707816	5/12/2022	2023-05-01	2023-09-01	4
707817	2022-05-13	2023-05-02	2023-09-02	4
707818	5/13/2022	5/2/2023	2023-09-02	4
707819	5/13/2022	2023-04-30	2023-08-30	4
707820	2022-05-13	2023-04-29	2023-08-29	4
707826	2022-05-16	2023-05-03	2023-09-03	4
707827	5/16/2022	5/3/2023	2023-09-03	4
707828	2022-05-17	2023-05-04	2023-09-04	4
707829	5/17/2022	2023-05-03	2023-09-03	4
707830	2022-05-19	5/3/2023	2023-09-03	4
707831	5/19/2022	2023-04-14	2023-08-14	4